



Chain No.	Pitch	Pin Diameter	Pin Length	Other Dimensions				Ultimate Tensile Strength	Type
	P	D	L	A	B	C	E	Q	
XT100	3.94"	0.625"	2.24"	1.42"	0.63"	1"	0.69"	47250 lbs	X
	100mm	15.88mm	57mm	36mm	16mm	25.4mm	17.5mm	210 KN	
XT80	3.15"	0.51"	1.89"	1.14"	0.47"	0.79"	0.57"	24750 lbs	X
	80mm	13mm	48mm	29mm	12mm	20mm	14.5mm	110 KN	



Chain No.	Pitch	Pin Diameter	Pin Length	Other Dimensions				Ultimate Tensile Strength	Type
	P	D	L	A	B	C	E	Q	
CC100	3.94"	0.625"	2.24"	1.42"	0.63"	0.98"	0.69"	47250 lbs	Regular
	100mm	15.88mm	57mm	36mm	16mm	25mm	17.5mm	210 KN	
XT160	6.3"	0.945"	3.07"	2.13"	0.81"	1.36"	1.1"	92250 lbs	Regular
	160mm	22.2mm	78mm	54mm	20.5mm	34.5mm	28mm	410 KN	
160	6.3"	0.874"	3.03"	2"	0.82"	1.28"	1"	85500 lbs	Regular
	160mm	15.88mm	77mm	50.8mm	20.8mm	32.5mm	25.4mm	380 KN	



Chain No.	Pitch	Pin Diameter	Pin Length	Other Dimensions				Ultimate Tensile Strength	Type
	P	D	L	A	B	C	E	Q	
P2-80-106	80mm	12mm	48mm	29mm	13mm	18.8mm	13.5mm	106 KN	Regular
P2-80-290	80MM	18.4mm	73mm	42mm	20mm	32mm	19mm	290 KN	Regular
P2-100-220	100mm	16mm	57mm	36mm	16mm	25.4mm	17.4mm	220 KN	X

NOTE: Please consult with Camel Convey for requirements for not listed above.

Email:sales@camelconvey.com
www.camelconvey.com




Master Pin

Standard type

Oil groove type


Smooth type



Regular Pin




TYPE - 1


TYPE - 2




Extended Pin

Chain Size	Pitch	Pin Diameter	Pin Length	Other Dimensions					
	P	D	L	A	B	C	M	L1	L2
X678	6"	0.874"	3.03"	1.89"	2.26"	1.14"	0.63"	3.86"	5.35"
	152.4mm	22.2mm	77mm	48mm	57.5mm	29mm	16mm	98mm	136mm
X458	4"	0.625"	2.24"	1.26"	1.635"	0.98"	0.47"	3.19"	4.41"
	101.6mm	15.88mm	57mm	32mm	41.5mm	25mm	12mm	81mm	112mm
X348	3"	0.5"	1.81"	0.98"	1.3"	-	-	-	-
	76.2mm	12.7mm	46mm	25mm	33mm	-	-	-	-






Chain Size	Pitch	Pin Diameter	Pin Length	Other Dimensions				Ultimate Tensile Strength	Type
	P	D	L	A	B	C	E	Q	
S228	2"	0.25"	1.04"	0.756"	0.382"	0.49"	0.256"	6000 lbs	S
	50.8mm	6.3mm	26.5mm	19.2mm	9.7mm	12.4mm	6.5mm	27KN	




Chain Size	Pitch	Pin Diameter	Pin Length	Other Dimensions				Ultimate Tensile Strength	Type
	P	D	L	A	B	C	E	Q	
X228	2"	0.25"	1.16"	0.71"	0.37"	0.47"	0.315"	6000 lbs	X
	50.8mm	6.35mm	29.5mm	18mm	9.4mm	12mm	8mm	27KN	


X-Type



Regular-Type





S-Type




Chain NO.	Normal Pitch	Actual Pitch	Pin Diameter	Pin Length	Other Dimensions				Ultimate Tensile Strength
	P		D	L	A	B	C	E	Q
X348	3"	3.02"	0.50"	1.81"	1.1"	0.52"	0.74"	0.57"	24750lbs
	76.20mm	76.6mm	12.7mm	46mm	28mm	13.2mm	18.8mm	14.4mm	110KN
X458	4"	4.03"	0.625"	2.244"	1.42"	0.63"	1"	0.685"	47250lbs
	101.6mm	102.4mm	15.88mm	57mm	36mm	16mm	25.4mm	17.4mm	210KN
X400	4"	4"	0.625"	2.244"	1.42"	0.63"	1"	0.685"	47250lbs
	101.6mm	101.6mm	15.88mm	57mm	36mm	16mm	25.4mm	17.4mm	210KN
X658	6"	6.03"	0.625"	2.244"	1.42"	0.63"	1.02"	0.69"	47250lbs
	152.4mm	153.2mm	15.88mm	57mm	36mm	16mm	25.8mm	17.5mm	210KN
X678	6"	6.03"	0.874"	3.03"	2"	0.83"	1.26"	0.98"	85500lbs
	152.4mm	153.2mm	22.2mm	77mm	50.8mm	21mm	32mm	25mm	380KN

NOTE: Please consult with Camel Convey for requirements for not listed above.


Email:sales@camelconvey.com
www.camelconvey.com




Trolley Size	Matched Chain	Trolley Dimensions				Trolley Capacity	Type
		B	C	D	F		
2"	228	0.225"	2.44"	1.95"	0.35"	54kg	C
		5.7mm	62mm	49.5mm	9mm		





Trolley Size	Matched Chain	Trolley Dimensions								Trolley Capacity	Type
		A	B	C	D	E	F	G	H		
3"	348, 80	4.02"	0.55"	3.94"	2.35"	2.50"	1.88"	0.24"	5.5"	90kg	A, C
		102mm	14mm	100mm	59.6mm	63.5mm	47.8mm	6mm	139.7mm		




Trolley Size	Matched Chain	Trolley Dimensions								Trolley Capacity	Type
		A	B	C	D	E	F	G	H		
4"	458, 100	5.35"	0.71"	5.06"	3.19"	3.19"	2.13"	0.39"	7.187"	180kg	A
		136mm	18mm	128.6mm	81mm	81mm	54mm	10mm	182.6mm		
4"	458, 100	5.35"	0.71"	5.91"	3.19"	4.02"	2.13"	0.39"	8"	180kg	A
		136mm	18mm	150mm	81mm	102mm	54mm	10mm	203.2mm		




Trolley Size	Matched Chain	Trolley Dimensions								Trolley Capacity	Type
		A	B	C	D	E	F	G	H		
4"	458, 100	5.35"	0.71"	5"	3.15"	3.19"	2.13"	0.39"	7.187"	180kg	B
		136mm	18mm	127mm	80mm	81mm	54mm	10mm	182.6mm		




Trolley Size	Matched Chain	Trolley Dimensions						
		A	B	C	D	E	G	H
4"	458	6.30"	04.72"	3.72"	3.23"	2.13"	0.39"	5.37"
		160mm	120mm	95mm	82mm	54mm	10mm	136.5mm
4"	678	6.30"	4.72"	4.03"	3.23"	2.13"	0.39"	5.66"
		160mm	120mm	102.4mm	82mm	54mm	10mm	143.7mm






Trolley Size	Matched Chain	Trolley Dimensions								Trolley Capacity	Type
		A	B	C	D	E	F	G	H		
4x6"	678	5.51"	0.71"	5.32"	3.23"	3.44"	2.13"	0.39"	7.44"	180kg	B
		140mm	18mm	135mm	82mm	87.5mm	54mm	10mm	188.9mm		




Trolley Size	Matched Chain	Trolley Dimensions								Trolley Capacity	Type
		A	B	C	D	E	F	G	H		
6"	678, 160	6.38"	0.75"	6.69"	4.72"	4.02"	2.76"	0.47"	10"	540kg	B
		162mm	19mm	170mm	120mm	102mm	70mm	12mm	254mm		




Wheel Number	Dimensions					Trolley Size
	A	B	C	D	d	
φ120X25	1.42"	1.30"	0.85"	4.72"	0.98"	6"
	36mm	33mm	21.5mm	120mm	25mm	
φ80X25	1.12"	0.98"	0.67"	3.15"	0.98"	4"
	28.5mm	25mm	17mm	80mm	25mm	
φ82X25	1.12"	0.98"	0.67"	3.23"	0.98"	4"
	28.5mm	25mm	17mm	82mm	25mm	
φ60X16	0.83"	0.75"	0.51"	2.36"	0.63"	3"
	21mm	19mm	13mm	60mm	16mm	


H Type/I Type/B Type



Trolley Size	Matched Chain	Dimensions									
		A	B	C	D	E	L	M	d1	d2	T
6"	678	2.99"	2.76"	2"	2"	2.9"	8.74"	7\8-9	0.53"	0.22"	0.50"
		76mm	70mm	50.8mm	50.8mm	73.5mm	222mm	/	13.5mm	5.5mm	12.7mm
4"	458	2"	2.13"	2.12"	1.37"	2.13"	7"	5\8-11	0.41"	0.19"	0.37"
		50.8mm	54mm	53.9mm	34.9mm	54mm	177.8mm	/	10.5mm	4.8mm	9.5mm
3"	348	1.50"	1.88"	1.56"	1.25"	1.80"	5.75"	1\2-13	0.335"	0.14"	0.25"
		38.1mm	47.8mm	39.7mm	31.8mm	45.8mm	146mm	/	8.5mm	3.6mm	6.35mm



Trolley Size	Matched Chain	Dimensions					
		A	B	C	L	d1	T
6"	678	2.99"	2.76"	0.75"	4.02"	0.53"	0.47"
		76mm	70mm	19mm	102mm	13.5mm	12mm
4"	458	1.77"	2.13"	0.69"	3.24"	0.41"	0.39"
		45mm	54mm	17.5mm	82.5mm	10.5mm	10mm
3"	348	1.50"	1.88"	0.43"	2.76"	0.33"	0.25"
		38.1mm	47.8mm	11mm	70mm	8.5mm	6.35mm




Trolley Size	Matched Chain	Dimensions							
		A	B	C	L	d1	d2	W	T
6"	678	2.99"	2.76"	2.5"	7.01"	0.53"	0.81"	1.31"	0.50"
		76mm	70mm	63.5mm	178mm	13.5mm	20.6mm	33.3mm	12.7mm
4"	458	2.13"	2.13"	2.19"	5.75"	0.41"	0.53"	1.125"	0.39"
		54mm	54mm	55.6mm	146mm	10.5mm	13.5mm	28.6mm	10mm
3"	348	1.50"	1.88"	2.25"	5.24"	0.335"	0.53"	0.81"	0.24"
		38.1mm	47.8mm	57mm	133mm	8.5mm	13.5mm	20.6mm	6mm

NOTE: Please consult with Camel Convey for requirements for not listed above.


Email:sales@camelconvey.com
www.camelconvey.com




Load bar for X348 trolley




Load bar for X458 trolley




Load bar for X678 trolley






Trolley Size	Matched Chain	Dimensions					
		A	B	C	UN	E	F
6"	678	1.25"	0.31"	0.5"	1/2X13	0.31"	0.75"
		31.75mm	7.93mm	12.7mm	/	7.93mm	19mm
4"	458	1"	0.234"	0.4"	3/8X24	0.22"	0.56"
		25.4mm	5.95mm	10.3mm	/	5.6mm	14.3mm
3"	348	0.75"	0.2"	0.4"	5/16X18	0.188"	0.5"
		19mm	5.1mm	10.3mm	/	4.76mm	12.7mm



Chain Number	Pitch	Dimensions								
	P	D	b1	h	T	d	L	A	B	C
X678-D	2"	1.125"	1.24"	1.88"	0.25"	0.56"	12"	1"	2"	1.06"
	50.8mm	28.58mm	31.55mm	47.8mm	6.4mm	14.27mm	304.8mm	25.4mm	50.8mm	27mm
X458-D	2"	1.125"	1.24"	1.88"	0.25"	0.56"	8"	1"	1.38"	1"
	50.8mm	28.58mm	31.55mm	47.8mm	6.4mm	14.27mm	203.2mm	25.4mm	35.1mm	25.4mm
X348-D	2"	1.125"	1.24"	1.88"	0.25"	0.56"	12"	1"	1.12"	0.63"
	50.8mm	28.58mm	31.55mm	47.8mm	6.4mm	14.27mm	304.8mm	25.4mm	28.5mm	16mm



Roller Number	Dimensions				Matched Chain
	A	B	D	d	
φ70X54	2.13"	1.93"	2.76"	0.51"	X348
	54mm	49mm	70mm	13mm	
φ70X70	2.76"	2.56"	2.76"	0.51"	X458、X678
	70mm	65mm	70mm	13mm	

